


CONCENTRIC REDUCER EXPANSION JOINT

BUTYL RUBBER



The Flexicraft Rubber Concentric Reducer expansion joints are also offered in eccentric designs, and they connect unequal size pipes.

Rubber Material Butyl
Ret Ring Material Galv Carbon Steel
Temperature Rating 230°F

Dimensions			Pressure/Vacuum		Temp	Movement				Weight	Product No.
Size	Size 2	Length A	psi	in Hg	F	Axial Comp	Axial Ext	Lateral	Angular	lbs	
in	in	in				in	in	in	deg		
2	1	6	165	29	230°	0.5	0.25	0.5	3	8	100C2X1X6
2	1.5	6	165	29	230°	0.5	0.25	0.5	3	8	100C2X1.5X6
2.5	1.5	6	165	29	230°	0.5	0.25	0.5	3	10	100C2.5X1.5X6
2.5	2	6	165	29	230°	0.5	0.25	0.5	3	11	100C2.5X2X6
3	1.5	6	165	29	230°	0.5	0.25	0.5	3	11	100C3X1.5X6
3	2	6	165	29	230°	0.5	0.25	0.5	3	12	100C3X2X6
3	2.5	6	165	29	230°	0.5	0.25	0.5	3	13	100C3X2.5X6
4	2	6	165	29	230°	0.5	0.25	0.5	3	15	100C4X2X6
4	2.5	6	165	29	230°	0.5	0.25	0.5	3	16	100C4X2.5X6
4	3	6	165	29	230°	0.5	0.25	0.5	3	18	100C4X3X6
5	3	6	140	29	230°	0.5	0.25	0.5	3	17	100C5X3X6
5	4	6	140	29	230°	0.5	0.25	0.5	3	18	100C5X4X6
6	2.5	6	140	29	230°	0.5	0.25	0.5	3	19	100C6X2.5X6
6	3	6	140	29	230°	0.5	0.25	0.5	3	19	100C6X3X6
6	4	6	140	29	230°	0.5	0.25	0.5	3	20	100C6X4X6
6	4	8	140	29	230°	0.5	0.25	0.5	3	24	100C6X4X8
6	5	6	140	29	230°	0.5	0.25	0.5	3	26	100C6X5X6
8	4	6	140	29	230°	0.75	0.375	0.5	3	28	100C8X4X6
8	4	8	140	29	230°	0.75	0.375	0.5	3	30	100C8X4X8
8	5	6	140	29	230°	0.75	0.375	0.5	3	31	100C8X5X6
8	6	6	140	29	230°	0.75	0.375	0.5	3	33	100C8X6X6
8	6	8	140	29	230°	0.75	0.375	0.5	3	34	100C8X6X8
10	5	8	140	29	230°	0.75	0.375	0.5	3	36	100C10X5X8
10	6	8	140	29	230°	0.75	0.375	0.5	3	38	100C10X6X8
10	8	6	140	29	230°	0.75	0.375	0.5	3	40	100C10X8X6
10	8	8	140	29	230°	0.75	0.375	0.5	3	43	100C10X8X8
12	6	8	140	29	230°	0.75	0.375	0.5	3	48	100C12X6X8
12	8	6	140	29	230°	0.75	0.375	0.5	3	50	100C12X8X6
12	8	8	140	29	230°	0.75	0.375	0.5	3	53	100C12X8X8
12	10	8	140	29	230°	0.75	0.375	0.5	3	59	100C12X10X8
14	8	8	85	15	230°	0.75	0.375	0.5	2	65	100C14X8X8
14	10	8	85	15	230°	0.75	0.375	0.5	2	68	100C14X10X8
14	12	8	85	15	230°	0.75	0.375	0.5	2	70	100C14X12X8
16	10	8	65	15	230°	0.75	0.375	0.5	2	78	100C16X10X8
16	14	8	65	15	230°	0.75	0.375	0.5	2	89	100C16X14X8
18	12	8	65	15	230°	0.75	0.375	0.5	1	88	100C18X12X8
18	14	8	65	15	230°	0.75	0.375	0.5	1	90	100C18X14X8

<p style="font-weight: bold; font-size: 1.2em;">"Flexible Piping Solutions"</p>	Proposal/Inquiry/Order No.: _____	NOTES: HAVE CONTROL UNITS _____ BEEN ORDERED FOR THIS INSTALLATION:
	Customer Name: _____	
Project Name: _____		
Contractor: _____		
PRINT CERTIFICATION: Certified Correct As Of: _____ By: _____	The above expansion joints and related hardware, meet or exceed the physical, mechanical or material specifications of the Rubber Expansion Joint Div., Fluid Sealing Association. For additional information, see the Association, "Technical Handbook, Fifth Edition", Chapter II, Paragraph A.1. and Tables II, III, IV.	